



IMPACT RESISTANT APPROVED VENTING FRENCH DOOR

- VENTILATION - Great for Kitchens & Condo Entry Doors!
- OPERABLE WINDOW - Continuous lift bar for easy open/close.
- ALUMINUM - Low maintenance alternative to wood or rusting metal.
- IMPACT GLASS - No need for hurricane shutters.
- PRIVACY - Available with privacy glass.




This door was approved on April 6, 2010 at a Board meeting to replace the two bedroom units kitchen door.


SINGLE LEAF (X) DOORS WITHOUT SIDELITES			
DESIGN LOAD CAPACITY - PSF			
FRAME WIDTH INCHES	FRAME HEIGHT INCHES	GLASS TYPES "A," "B" OR "D" EXT. (+) INT. (-)	
31 1/2	79 3/4	65.0	65.0
37 1/2	79 3/4	65.0	65.0
31 1/2	83 3/4	65.0	65.0
37 1/2	83 3/4	65.0	65.0
31 1/2	95 3/4	65.0	65.0
37 1/2	95 3/4	65.0	65.0



DOUBLE LEAF (XX) DOORS WITHOUT SIDELITES			
DESIGN LOAD CAPACITY - PSF			
FRAME WIDTH INCHES	FRAME HEIGHT INCHES	GLASS TYPES "A," "B" OR "D" EXT. (+) INT. (-)	
60	79 3/4	65.0	65.0
72	79 3/4	65.0	65.0
60	83 3/4	65.0	65.0
72	83 3/4	65.0	65.0
60	95 3/4	65.0	65.0
72	95 3/4	65.0	65.0








SINGLE LEAF (X) DOORS WITH S.H. INSERT			
DESIGN LOAD CAPACITY - PSF			
FRAME WIDTH INCHES	FRAME HEIGHT INCHES	5/8" PLYWOOD .092 ALUM PANEL EXT. (+) INT. (-)	
31 1/2	83 3/4	65.0	65.0
39 1/2	83 3/4	65.0	65.0



STATIONARY PANEL (O) OR DOORS WITH SIDELITES						
DESIGN LOAD CAPACITY - PSF						
FRAME HEIGHT INCHES	DOOR WIDTH INCHES	PANEL SIDELITE WIDTH INCHES	DIRECT SET SIDELITE WIDTH INCHES	GLASS TYPES "A," "B" OR "D" EXT. (+) INT. (-)		
79 3/4	37 1/2 (X) 72 (XX)	30	18	65.0	65.0	65.0
		36	18	65.0	65.0	65.0
83 3/4	31 1/2 (X) 60 (XX)	30	18	65.0	65.0	65.0
		36	18	65.0	65.0	65.0
95 3/4	31 1/2 (X) 60 (XX)	30	18	65.0	65.0	65.0
		36	18	65.0	65.0	65.0
95 3/4	37 1/2 (X) 72 (XX)	30	18	65.0	65.0	65.0
		36	18	65.0	65.0	65.0

NOTE:
CLASS CAPACITIES ON THIS SHEET ARE
BASED ON ASTM E1300-02/04 (3 SEC. GUSTS)
AND FLORIDA BUILDING COMMISSION
DECLARATORY STATEMENT DCA05-DEC-219



ENGR. ARSHAD UJJAR
P.L.A. No. 38913
C.A.N. 5538
MAY 07 2009

PRODUCT REVIEWED
and approved with the Florida
Association of Building Officials
Approval Date: 05-08-2009
Division

date: 09-17-01	revisions:
scale: 3/8" = 1"	no. date by description
dr. by: HAMID	C 11.13.06 UPDATED FOR 2004 FBC
chk. by:	D 01.29.07 REV. PER BCCO COMMENTS
	E 02.03.09 GENERAL REVISION
drawing no. W01-64	
Sheet 4 of 15	

SERIES 1800 ALUM FRENCH DOOR W/ SIDELITES (L.M.I.)
AWP, LLC.
8130 N.W. 74TH AVE.
MEDLEY, FL 33166
TEL. (305) 887-2646 FAX (305) 883-1309

AL-FAROOQ CORPORATION
ENGINEERS & PRODUCT DEVELOPMENT
1235 S.W. 87 AVE
MIAMI, FLORIDA 33174
TEL. (305) 284-8100 FAX. (305) 262-6978
COMP-ANL/W01-64AWP